



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No: 10/610,955
 Applicant: David Myr
 Filed: July 1, 2003
 Title: A METHOD AND SYSTEM FOR OPTIMIZED REAL ESTATE APPRAISAL
 TC/A.U.: 3629
 Examiner: To Be Assigned

CLAIM TO RIGHT OF PRIORITY


Mail Stop Missing Parts
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

Sir:

Pursuant to 35 U.S.C. § 119, Applicant(s) hereby claim the benefit of prior Israeli Patent Application No. 156392, filed June 11, 2003.

A certified copy of the above-referenced application is enclosed.

Respectfully submitted,


Lawrence E. Ashery, Reg. No. 34,515
 Attorney for Applicant

LEA/vj

Enclosure: Certified Copy of Israeli Patent Application No. 156392


Dated: October 14, 2003

P.O. Box 980
 Valley Forge, PA 19482-0980
 (610) 407-0700

The Commissioner for Patents is hereby authorized to charge payment to Deposit Account No. 18-0350 of any fees associated with this communication.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on:

October 14, 2003





STATE OF ISRAEL

This is to certify that
annexed hereto is a true
copy of the documents as
originally deposited with
the patent application
particulars of which are
specified on the first page
of the annex.

ON THE 17.6.2003 AND
29.6.2003 AND
26.8.2003

זאת לתעודה כי
רצופים בהז העתקים
נכונם של המסמכים
שהופקדו לבתיחילה
עם הבקשה לפטנט
לפי הפרטים הרשומים
בעמוד הראשון של
הנפטת.

ביום 3 סט 29.6.2003
את/
26.8.2003
את/

THE APPLICANT REQUESTED LEAVE
TO AMEND THE SPECIFICATION
A TRUE COPY OF THE AMENDED
PAGES MARKED AS6392/2
AND AS6392/3
AND AS6392/4

ביקש המבקש לתקן את הפירוט.

העתק נאמן של הדפים

המתוקנים כמי שהם מסומנים

AS6392/2

AS6392/3 -1

AS6392/4 -1

מצורפים בהזה.

ACHED H

This

26-08-2003
היום

מספר: Number	156392
תאריך: Date	11-06-2003 הוגם/נחת Ante/Post-dated

בקשה לפטנט
PATENT APPLICATION

אנו, (שם המבקש, מענו - ולכדי דוד מיר - מקום ההאנדרטה)
(Name and address of applicant, and, in case of body corporate, place of incorporation)

המציא: דוד מיר

בעל: מקור זכויות ותפקידות בע"מ רחוב יהודה 32 ירושלים 93467

INVENTOR: DAVID MYR

ASSIGNEE: MAKOR ISSUES&RIGHTS LTD 32YEHUDA STREET JERUSALEM ISRAEL 93467

Owner, by virtue of

בעל אמצעה מכיה הנדס שמה הוא:
of an invention, the title of which is:

שיטת וממדת לעריכת שמורות באופן אוטומטי ואוטומטי
(בעברית) (Hebrew)

A METHOD AND SYSTEM FOR OPTIMIZED REAL ESTATE APPRAISAL (English)

hereby apply for a patent to be granted to me in respect thereof.

בקשה בזאת כי ניתן לי פטינה פטנט.

Application for Division		Application for Patent of Addition		Priority Claim		
בקשות חילוק from application	בקשות ארכת No _____ dated _____	לבקשת/לפטנט to Patent/Appl. No _____ dated _____	מספר/מספר Marker/Marker Number/Mar k	תאריך Date	מדינה האיינט Convention Country	
*בוזי כה: כלל/מיוחד - רצוף בזיה / גוד יונד P.O.A.: general / specific - attached / to be filed later Has been filed in case _____ הוגש בזיה האפן למסירת הזדמנות ומסמכים בישראל Address for Service in Israel מקור זכויות ותפקידות בע"מ רחוב יהודה 32 ירושלים 93467 MAKOR ISSUES & RIGHTS LTD YEHUDA STREET 32 JERUSALEM ISRAEL 93467						
				שנת 2003 of the year 2003	היום 11 ב חודש יוני OF JUNE This 11	
 מקור הנקודות-זכויות בע"מ LTD 32YEHUDA ST 93467 JERUSALEM ISRAEL		 חתימת המבקש Signature of Applicant				

REFERENCE:

מספר:
Number

סוג זה, כשהוא מוטבע כחומר לשכת הפטנטים ומוסלם במספר ובתאריך ההגשתה, הינו אישור להגשת הבקשה שפטיתית ורשומים לפיהם
This form, impressed with the Seal of the Patent Office and indicating the number and date of filing, certifies the filing of the application, the particulars of which are set out above.

A Method and System for Optimized Real Estate Appraisal

ABSTRACT

The invention is a method and a system for obtaining optimal range of values for real estate property by using all or some of the admissible appraisal approaches through optimization algorithm. The invention evaluates the reliability of factor ranges specific to each appraisal approach and eliminates discrepant ranges. Using this invention it is possible to obtain an accurate property valuation through a number of admissible appraisal approaches. Valuation, Feasibility Study, Sensitivity Analysis, value reconciliation and highest and best use are obtained optimally and automatically. The invention optimizes capitalization rate and period in the relevant approaches.

Inventor: David Myr (Jerusalem).

Assignee: Makor Issues & Rights Ltd (Jerusalem).

REFERENCES CITED

U.S. Patent Documents

US Patent 5,857,174
US Patent 5,414,621
US Patent 6,058,369
US Patent 6,115,694
US Patent 6,178,406 B1
U.S. APP. A1 20020002494
U.S. APP. A1 20010039506
U.S. APP. A1 20020147695

Other References

Uniform Standards of Professional Appraisal Practice (USPAP) 2003 Edition

The Appraisal of Real Estate, Appraisal Institute

Valuation Under the Law of Eminent Domain, Lewis Orgel, 1953

Real Estate Valuation in Litigation, J.D. Eaton, Appraisal Institute, 1995

More, Jorge J. and Stephen J. Wright, Optimization Software Guide, Philadelphia: SIAM, 1993

CLAIMS

What is claimed is:

1. A method and a system to appraise real estate property within all approaches used together by the means of nonlinear programming.
2. A method and a system of claim 1 wherein ranges of all relevant influence factors of all approaches used are optimized automatically.
3. A method and a system of claim 1 wherein all discrepancy or outliers of relevant influence factors are eliminated automatically.
4. A method and a system of claim 1 wherein the value range of each individual approach used is obtained optimal and automatically.
5. A method and a system of claim 1 wherein Feasibility Study is obtained optimally and automatically.
6. A method and a system of claim 1 wherein Sensitivity Analysis of the influenced factors of all approaches used together is obtained optimally and automatically.
7. A method and a system of claim 1 wherein the ranges of value of all approaches used are reconciled optimally and automatically.
8. A method and a system of claim 1 wherein several combinations of optimal influenced factors bring automatically the same optimal value (“multi solution”).
9. A method and a system of claim 1 wherein the highest and best use is obtained separately for each use, optimally and automatically.
10. A method and a system of claim 1 wherein project stages considered in a specific appraisal approach are optimized automatically.
11. A method and a system of claim 1 wherein different capitalization rates considered in a specific appraisal approach are optimized automatically.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1a shows a first part of the flowchart of an invented optimization method and system.

FIG. 1b shows a second part of the flowchart.

FIG. 1c shows a third part of the flowchart.

FIG. 1d shows a fourth part of the flowchart.

PRIOR ART

Real estate appraisal techniques are far from an exact science. Typically, the appraiser compares recent sales of the properties comparable to a subject property in order to determine the property's market value. Next, he adjusts the sales prices of comparable properties to reflect the physical characteristic differences from the subject property. Generally, this process may take several days to complete and it may also suffer from insufficient comparative results due to the time and other technical constraints. Furthermore, the preferred criterions by which comparative properties were selected are not always obvious or immediately available and therefore results are less verifiable.

Many automated valuation models (AVM) have been introduced to avoid some of the shortcomings of the traditional models.

"An AVM is a computer software program that analyses data using an automated process. For example, AVMs may use regression, adaptive estimation, neural network, expert reasoning, and artificial intelligence programs."

"The output of an AVM is not, by itself, an appraisal. An AVM's output may become basis for appraisal, appraisal review, or appraisal consulting opinion and conclusions if the appraiser believes the output to be credible and reliable for use in a specific assignment". (USPAP 2003 Edition p.180)

U.S. Pat. No. 5,857,174 discloses a real estate appraisal method in which the buyer of a property assigns points to a subject property and each comparable property based upon an Ideal Point System (IPS). The points assigned (or IPS values) upon the desirability factors for each of five categories of criteria. The total possible IPS value for any property is 100, corresponding to a 100 percent desirability. Once the IPS values are determined, the property may be subsequently used as a comparable property. The appraiser needs only to select a subject property and to obtain the IPS values for the subject property. The sale price of each comparable property is then adjusted, based on the relative difference between the IPS values for the comparable properties and the IPS values of the subject property, by dividing the total IPS value for each comparable property by the IPS value for the subject property to obtain a composite adjustment ratio. The adjustment ratio for each comparable property is then multiplied by the sales price to obtain an adjusted sales price. Any greatly divergent adjusted sales prices are discarded, and the average adjusted sales price is determined. The average adjusted sales price is used as the appraised value for the subject property.

U.S. Pat. No. 5,414,621 discloses a system and method for determining comparative values of comparable properties based on assessment of percentages and sales data of the comparable properties to ultimately determine a value for a subject property. In a first embodiment, the "assessment percentage" is the "base property tax" for the subject property and comparable property. A price/tax factor is computed for each comparable property by dividing the sale (or sold) price of the comparable property by its base tax. The price/tax factor for each comparable property is then multiplied by the base tax of the subject property to generate a net comparative value for each comparable property. To

take into account appreciation for recently sold comparable properties, an average appreciation is obtained for the area in which the subject and comparable properties are located. The average appreciation is pro rated to determine the comparative value for each comparable property. On the basis of the comparative values and other pertinent information, the value of the subject property may be set by a real estate agent, bank, appraiser, etc.

U.S. Pat. No. 6,058,369 discloses that by gathering information regarding the total number of sales, total number of pending listings, total number of active listings, and total number of expired listings in a time period, a market index may be derived. This market index can then be charted over a plurality of periods, giving an indication of any temporal trends. The market index can further be used to guide and determine the action of a service provider such as a lender or title insurance company in a proposed real estate transaction.

U.S. Pat. No. 6,178,406 B1 discloses a method for estimating the price of real estate property such as a single-family residence. A set of real estate properties comparable to the subject property is retrieved. The comparable properties and the subject property are characterized by a plurality of common attributes each having a respective value. Each attribute value from the comparable properties is evaluated to the same attribute value of the subject property on a fuzzy preference scale indicating desirable and tolerable deviations from an ideal match with the subject property. A measurement of similarity between each comparable property and the subject property is then determined. Next, the prices of the comparable properties are adjusted to the value of the subject property and the best properties are extracted for further consideration. The extracted comparable properties are then aggregated into an estimate price of the subject property.

U.S. Pat. No. 6,115,694 discloses a computer-implemented method for validating specified prices on real estate property. A set of real estate properties comparable to the subject property is retrieved. A measurement of similarity between each comparable property and the subject property is then determined. A plurality of adjustment rules is then applied to adjust the price of the comparable properties. The adjusted comparable properties are then extracted, sorted, and ranked, according to the specified sale price. The extracted comparable properties are then aggregated into an estimate price of the subject property. After aggregation, the estimate price of the subject property is compared to the specified price and a measurement of confidence validating the reliability of the specified price is then generated.

U.S. APP. A1 20020002494 discloses a system for facilitating appraisals. A lender and/or customer may request an appraisal from a hub. The hub checks the schedules of local appraisers, selects an appraiser and schedules the appraisal. Once the appraisal has been completed, the appraiser uploads the appraisal information and the hub transfers the information to the requestor or other customer. The hub may also store the appraisal and information about the uploaded appraisal for analysis regarding the appraised property or the appraiser's work product.

U.S. APP. A1 20010039506 discloses a real estate appraisal method wherein a database of enhanced records of properties in the same territory as the subject property is used to derive market-driven value adjustment rates for property attributes and time differentials. The adjustment rates are applied to the properties in the database, the most similar comparable properties are selected on the basis of similarity in property attributes and the market value is then estimated from the selected most similar comparable properties. The resulting valuation is supportable by market conditions and can be printed on specified forms.

U.S. APP. A1 20020147695 discloses a system for automating the process of valuing a property that produces an estimated value of a subject property, and a quality assessment of the estimated value. The process is a generative artificial intelligence method that trains a fuzzy-neural network using a subset of cases from a case-base, and produces a run-time system to provide an estimate of the subject property's value. In one embodiment, the system is a network-based implementation of a fuzzy inference based on a system that implements a fuzzy system as a five-layer neural network so that the structure of the network can be interpreted in terms of high-level rules. The neural network is trained automatically from data. IF/THEN rules are used to map inputs to outputs by a fuzzy logic inference system. Different models for the same problem can be obtained by changing the inputs to the neuro-fuzzy network, or by varying its architecture.

With the advancement of computer software and statistical models and methods such as Monte Carlo, simulation in income estimates became viable solution to otherwise lengthy analytical processes. Using this simulation in Discount Cash Flow (DCF) modeling, it became more feasible to quantitatively estimate the impact of uncertainty on the market value estimates and improve long –term investment decisions. Monte Carlo simulation also does not require rigorous certainty or normality assumptions about the input values. Instead, each input in the model is represented by a probability density function, or a range of values that are possible, and not just a single, most likely value. /A simulation model allows users to run thousands of iterations quickly (each representing a separate "what if" analysis) and summarizes the entire range of possible outcomes efficiently providing practitioners with valuable insights about the relationship between outcomes and uncertain inputs. (The Appraisal Journal, January 2000, pp.44).

While the Monte Carlo simulation eliminates the problem of single-point values, this approach is used only in specific applications such as DCF modeling it is not generally used in overall appraisal process.

The appraiser services are now available in forms of commercial software, which was introduced to facilitate appraiser information processes.

A La Mode, Inc., providing an appraisal-related information and services including appraiser listings, technology/EDI updates, and software information;

ACI Development, providing a software solutions, including electronic forms, digital

imaging, and communications software, for the real estate appraisal, home inspection, and insurance industries;

Appraiser's ToolBox, providing Windows (from the Microsoft Corporation) and Mac (from the Apple Computer, Inc.) form processing software with integrated tools;

CSA, Inc., providing Canadian appraisal forms (including the CERC) and CRAL software;

Day One, Inc., providing an office management systems and appraisal forms software;

Eminent Domain Software, providing a real estate software for appraisers, inspectors and tax assessors;

MicroSolve, providing software for local governments to assess property values and maintain property databases;

PSAR Systems, providing a residential appraisal software; and

United Systems Software Company, providing an appraisal software, electronic forms solutions, EDI, and artificial intelligence.

Many of these known AVM systems focus on providing an estimate of value that has been derived from a number of transactions. Often the analysis is made based on the property records (limited to parcel level inventories) sometimes of questionable quality. Generally, most of these models attempt to facilitate gathering of comparable data according to one appraisal approach, typically the market approach.

BACKGROUND OF THE INVENTION

The appraised values produced by different independent appraisers for the same property can vary by as much as 50%. The discrepancy in estimates can be attributed to several different factors but typically is caused by different sets of most "relevant units of comparisons" as developed in each estimating approach by various appraisers.

An appraiser often employs more than one approach to perform the valuation. In Eminent Domain or other litigation processes it is always recommended to use several approaches to establish convincing argument for the final property valuation.

Each appraisal approach, used in valuation, is influenced by a number of different factors. Some of the factors are used in several approaches and others are not shared by other approaches.

Typically, appraisers apply the sales comparison (Sales Comparison Approach), income capitalization (Income Approach) and cost (Cost Approach) individually. When more than one approach is applied, typically different values are obtained for each approach.

After reviewing the reliability of data and analyzing the difference between valuation results, the appraiser determines the final value (reconciliation or correlation).

It should be noted that the reconciliation of all estimate values is typically required in Eminent Domain and other litigation cases, where the appraiser is required to substantiate the accuracy of his analysis.

Standards Rule 1-6 (USPAP 2003) states:

In developing a real property appraisal, an appraiser must:

- (a) reconcile the quality of data available and analyzed within the approaches used; and
- (b) reconcile the applicability or suitability of the approaches used to arrive at the value conclusion(s)

In traditional appraisal practice, appraisers first determine various approaches that will best serve the valuation process for the subject property using specific data and factors pertaining to that approach. To facilitate the evaluation, each factor is then typically expressed as a single-point value. Obviously, any error in the assumed value for one or more selected factors will inevitably affect the final result. Generally, even Sensitivity Analysis check cannot fully eliminate these types of errors since this analysis only checks what happens if we adjust a factor value and cannot identify factors that might possibly be erroneous completely.

In order to arrive at a final conclusion of a value for the property, the appraiser must reconcile the different values obtained from different approaches. While some appraisers feel they should express the property value in a form of value ranges, very often they are required to provide a specific price figure, called point estimate. Clearly, by averaging the differing results from various estimates, another level of error is introduced into the final estimate already based on individually adjusted single values. Usually, appraisers are comparing valuation results from all different approaches and taking an average result as a final value. However, this would imply that each approach has equal strength and reliability which is rarely true.

Real estate appraisals are used in large variety of real estate transactions. They generally require considerable effort and time to prepare and are relatively expensive.

Little or no work deals directly with optimization programming in appraisal domain and especially in using all influence factors in all approaches together rather than in one approach. In appraisals and especially in litigation cases there is a strong need to prove the accuracy of valuation process and of the final result.

DETAILED DESCRIPTION OF THE INVENTION

This invention relates to the real estate appraisal field.

The system uses ranges of influence factors rather than their single-point values. The disclosed optimization method and system is based on all plausible ranges of influenced factors of all approaches used together instead of each particular appraisal approach used separately. Therefore, crucial dependence of property value on single erroneously selected values of influenced factors is greatly reduced.

The optimization system described here belongs to nonlinear programming because of nonlinearities brought into the objective function by some of the influenced variables.

It is based on four groups of entities:

1. objective function,
2. constant parameters,
3. variable influenced factors, and
4. constraints.

Objective function is the quantity that is going to be optimized, i.e. maximized or minimized. Here the objective function is to obtain the indicated value of the subject property.

Constant parameters are the parameters whose values are fixed a priori, e.g. building area, various taxes, etc.

Influence factors (or control variables) are relevant factors that are known to lie within some ranges of values and could be changed in the process of searching for minimum or maximum of the objective function, e.g. price of land per square meter of the building, costs per square meter of building.

Constraints are used to limit values of influence factors (or control variables) are set by the user or appraiser based on comparable data or experience. Generally, if the constraints are too restrictive, they may produce "no-solution" scenarios, i.e. the approaches used are not conforming one with others regarding the specific property valuation.

Optimization Algorithm Description

Objective function is:

$$\min/\max \ NPV_i = \sum_i S_i^i (1 + r_i)^{-d_i^i / 365},$$

subject to:

- (1) $m_i^k \leq S_i^k \leq M_i^k$;
- (2) $NPV_1 = p_2 \cdot NPV_2 = \dots = p_K \cdot NPV_K$;
- (3) $0 \leq d_k' \leq F_k$ (approach alternative k time frame);
- (4) $d_i^k - d_j^k \leq D_{ij}^k$ (time relation between task i and task j in project alternative k).

where:

- (a) S_i^k are control variables: negative payments or positive receipts for task i in approach alternative k;
- (b) m_i^k, M_i^k are constants;
- (c) r_i^k are control variables: interest of capitalization for task i in approach alternative k;
- (d) $p_i \geq 1$ are control variables that are linking coefficients between different approaches alternatives; $i = 2, \dots, K$ (the value of p is determined according to the reliability of the data and/or risk considerations);
- (e) $d_i^k > 0$ are optional control variables: date of task i in approach alternative k, in case that these dates are not fixed;
- (f) NPV_k is optimal NPV for approach alternative k,

$k = 1, 2, \dots, K$ is current number of the approach alternative,

K is total number of the approach alternatives.

Description of the method and system

The flowchart of the optimization model is graphically presented in Fig. 1a, Fig. 1b, Fig. 1c and Fig. 1d as follows:

To start the optimal property valuation process, the appraiser chooses which factors could influence the appraisal value for all appraisal approaches used.

For each influenced factor we determine minimal and maximal limits of the value. The minimal and maximal limits are determined from the comparable data. Then, ranges of influence factors are estimated for all approaches (A, B and C in the flowchart) to determine the value and the investment return.

In the next step, formulas are set and summarized for determining property value for each of the approaches (A, B and C in the flowchart).

In the next step, the appraisal has to set and summarize formulas for determining feasibility and investment return according to each one of the approaches.

In the next step, the appraiser determines ratios between appraisal values as will be calculated by all approaches used (according to risk factors and reliability of the data).

Now, the nonlinear optimization algorithm calculates automatically for all approaches used, according to Mathematical Definition paragraph hereafter:

1. minimal and maximal optimal property value;
2. minimal and maximal optimal investment return;
3. sensitivity analysis;
4. multi solution.

Outlier Discrepancy Elimination: The presented optimization method will help to identify correct influenced factors ranges by eliminating discrepancies and/or outliers of the ranges automatically.

Feasibility Study: Feasibility Study is performed to determine whether the subject property and its valuation will meet the economic return requirements of a specific entrepreneur and/or investor. In the invention, the optimal expected return is calculated for all approaches used together for the specific property.

Capitalization rate and period: In the invention, the optimal capitalization rate and period are calculated for all approaches used together for the specific property value and for the Feasibility Study for the same property.

Sensitivity Analysis: Sensitivity Analysis is performed to check whether our result is sensitive to changes in each of influence factors. The lower the sensitivity the better is our result since we can conclude that change in one of the factors ranges is not affecting our final optimal result, and even if we change some of the factors ranges, we still would arrive to a similar optimal appraised range of values. High sensitivity must be avoided since it potentially increases model inaccuracy. It is clear, that if the property value estimate has high dependency on a specific factor based on questionable data, the overall accuracy may be affected. After it has been established that the obtained results are no longer sensitive, the system proceeds to obtain final maximum and minimum optimal results for the given property.

“Multi Solution”: When optimal solution has been reached automatically, the system searches further for possible additional optimal solutions (“multiple solutions”). In multiple solutions the objective function and factors ranges unchanged and only optimal values of variables vary. It is assumed that single solution indicates that the factor ranges may be too restrictive and therefore the optimal solution is reached but is not flexible enough.

Reconciliation: The appraiser is free to choose any number of approaches for his estimate and commonly will prefer a particular approach to others due to more accurate data or specific property characteristics. However, sometimes the highest maximum and minimum values obtained are relatively far from median range i.e. most likely value

ranges. Obviously, a simple average of all indicated values, used in the traditional reconciliation methods will not necessarily give a "true" property value.

In this invention, a range of optimal values in all approaches has been reached automatically. If the single-point valuation is still required, it is up to the appraiser to decide if he would choose the maximum, minimum or average value for the final property value. Usually, the decision depends on reliability of data used and it is done automatically according to appraiser-defined rules.

Highest and Best Use: The invention helps to determine financial feasibility criteria in highest and best use analysis separately for each use or for all uses. The graphical illustration of this process is shown in Fig. 2.

In the event, that no solution is found, the system will require more data to satisfy the constraints or to modify existing constraints. In this case, an optimization algorithm may terminate without producing minimum or maximum value because of convergence problems resulting from nonlinear nature of the objective function. In such cases, it may also be helpful to try to start again with different initial values or other value adjustments.

Global Optimum: A number of software packages available today are capable of solving such problems such as MS Excel Solver, LINGO and other optimization software. In general, algorithms found in commercial software packages are capable of searching only for a local minimum or maximum which may or may not constitute the global optimum solution, therefore there is a need to assure that the global optimum solution has been reached by using optimization software that finds the global optimum solution, such as LINGO.

Fig. 1a




Fig. 1b




Fig. 1c





Fig. 1d



מספר : Number	תאריך : Date
156392/2	11-06-2003
הוקם/נדחת Ante/Post- dated	

אני, (שם המבקש, מענו - ולגבי גוף מאוגן - מקום החאנגורתו)
I (Name and address of applicant, and, in case of body corporate, place of incorporation)

בקשה לפטנט
PATENT APPLICATION

מקור זכויות והנפקות בע"מ רחוב יהודה 32 ירושלים 93467

MAKOR ISSUES&RIGHTS LTD 32YEHUDA STREET JERUSALEM ISRAEL 93467

בעל אמצעה מכח הדין ששם הוא:
Owner, by virtue of _____ of an invention, the title of which is:

שיטת ומערכת לעריכת שמורות באופן אופטימלי ואוטומטי
(ב עברית)
(Hebrew)

A METHOD AND SYSTEM FOR OPTIMIZED AUTOMATICAL REAL ESTATE APPRAISAL (English)

hereby apply for a patent to be granted to me in respect thereof.

מבקש בזאת כי ניתן לי עליה פטנט.

Application for Division from application	Application for Patent of Addition to Patent/Appl.	דרישת דין קדימה Priority Claim		
		מספר/סימן Number/Mark	תאריך Date	מדינת האינדור Convention Country
No _____ dated _____ מספר Miami	No _____ dated _____ מספר Miami			
<p>*יפוי כח: כלל/מיוחד - רצוף זהה / עוד יונש P.O.A.: general / specific - attached / to be filed later</p> <p>הוגש בעניין _____</p> <p>המען למסירת הוראות ומסמכים בישראל Address for Service in Israel</p> <p>מקור זכויות והנפקות בע"מ רחוב יהודה 32 ירושלים 93467</p> <p>MAKOR ISSUES & RIGHTS LTD 32 YEHUDA STREET JERUSALEM ISRAEL 93467</p>				
<p>D.M. מקרו הנפקות זכויות בע"מ MAKOR ISSUES & RIGHTS LTD.</p>		חתימת המבקש Signature of Applicant	שנת 2003 of the year 2003	היום 11 בחודש 06 Of JUNE This 11

REFERENCE:

סימוכין :

טופס זה, כשהוא מוטבע בחותם לשכת הפטנטים ומושלם במספר ובתאריך ההגשת, הינו אישור להנחת הבקשה שפרטיה רשומים לעיל
This form, impressed with the Seal of the Patent Office and indicating the number and date of filing, certifies the filing of the application, the particulars of which are set out above.

*מחק את המיותר Delete whatever is inapplicable

Optimization Algorithm Description

Objective function is: min/max $NPV_1 = \sum_i S_i^I (1 + r_I)^{-d_i^I / L}$

Subject to (1) $m_i^k \leq S_i^k \leq M_i^k$; (2) $NPV_1 = p_2 \cdot NPV_2 = \dots = p_k \cdot NPV_k$;

(3) $0 \leq d_k^i \leq F_k$ (approach alternative k time frame);

(4) $d_i^k - d_j^k \leq D_{ij}^k$ (time relation between task i and task j in project alternative k).

Where (a) S_i^k are cost functions: $S_i^k (V_{j_1}^k, \dots, V_{j_i}^k, C_{m_1}^k, \dots, C_{m_i}^k)$

negative payments or positive receipts for task i in approach alternative k;

where (b) $V_{j_1}^k, \dots, V_{j_i}^k$ are control variables of a cost function for task i in approach alternative k subject to constraints

(c) $m_{j_1}^k \leq V_{j_1}^k \leq M_{j_1}^k, \dots, m_{j_i}^k \leq V_{j_i}^k \leq M_{j_i}^k, i = 1, \dots, N$ (number of tasks);

(d) $C_{m_1}^k, \dots, C_{m_i}^k, i = 1, \dots, N$ are constants of a cost function for task i in approach alternative k;

(e) r_i^k are control variables: annual interest of capitalization for task i in approach alternative k;

(f) $p_j \geq 1$ are control variables that are linking coefficients between different approach alternatives. $j = 2, \dots, K$ (total number of alternatives) the value of p_j is determined according to the reliability of the data and/or risk consideration).

(g) $d_i^k > 0$ are optional control variables: date of task i in approach alternative k, in case that these dates are not fixed;

(h) L is number of time units in a year (if time unit is a day, then $L = 365$, if time unit is a week, then $L = 52$);

(i) NPV_k is optimal NPV for the approach alternative k; $k = 1, 2, \dots, K$;

K is total number of the approach alternatives:

Description of the method and system

The flowchart of the optimization model is graphically presented in Fig. 1a, Fig. 1b, Fig. 1c and Fig. 1d as follows:

To start the optimal property valuation process, the appraiser chooses which factors could influence the appraisal value for all appraisal approaches used.

For each influenced factor we determine minimal and maximal limits of the value. The minimal and maximal limits are determined from the comparable data. Then, ranges of influence factors are estimated for all approaches (A, B and C in the flowchart) to determine the value and the investment return. In the next step, formulas are set and summarized for determining property value for each of the approaches (A, B and C in the flowchart). In the next step, the appraisal has to set and summarize formulas for determining feasibility and investment return according to each one of the approaches.

CLAIMS

What is claimed is:

1. A method and a system to appraise real estate property within all approaches used together by the means of nonlinear programming.
2. A method and a system of claim 1 wherein ranges of all relevant influence factors of all approaches used are optimized automatically.
3. A method and a system of claim 1 wherein all discrepancy or outliers of relevant influence factors are eliminated automatically.
4. A method and a system of claim 1 wherein the value range of each individual approach used is obtained optimal and automatically.
5. A method and a system of claim 1 wherein Feasibility Study is obtained optimally and automatically.
6. A method and a system of claim 1 wherein Sensitivity Analysis of the influenced factors of all approaches used together is obtained optimally and automatically.
7. A method and a system of claim 1 wherein the ranges of value of all approaches used are reconciled optimally and automatically.
8. A method and a system of claim 1 wherein several combinations of optimal influenced factors bring automatically the same optimal value ("multi solution").
9. A method and a system of claim 1 wherein the highest and best use is obtained separately for each use, optimally and automatically.
10. A method and a system of claim 1 wherein project periods considered in a specific appraisal approach are optimized automatically.
11. A method and a system of claim 1 wherein different capitalization rates considered in a specific appraisal approach are optimized automatically.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1a shows a first part of the flowchart of an invented optimization method and system.

FIG. 1b shows a second part of the flowchart.

FIG. 1c shows a third part of the flowchart.

FIG. 1d shows a fourth part of the flowchart.

In the next step, the appraiser determines ratios between appraisal values as will be calculated by all approaches used (according to risk factors and reliability of the data). Now, the nonlinear optimization algorithm calculates automatically for all approaches used, according to Optimization Algorithm Description paragraph:

1. minimal and maximal optimal influence factors;
2. minimal and maximal optimal property value;
3. minimal and maximal optimal investment return;
4. sensitivity analysis;
5. multi solution.

Outlier Discrepancy Elimination: The presented optimization method will help to identify correct influenced factors ranges by eliminating discrepancies and/or outliers of the ranges automatically.

Optimal Influence Factors: The presented optimization method will determine optimal influence factors ranges automatically.

Feasibility Study: Feasibility Study is performed to determine whether the subject property and its valuation will meet the economic return requirements of a specific entrepreneur and/or investor. In the invention, the optimal expected return is calculated for all approaches used together for the specific property.

Capitalization rate and period: In the invention, the optimal capitalization rate and period are calculated for all approaches used together for the specific property value and for the Feasibility Study for the same property.

Sensitivity Analysis: Sensitivity Analysis is performed to check whether our result is sensitive to changes in each of influence factors. The lower the sensitivity the better is our result since we can conclude that change in one of the factors ranges is not affecting our final optimal result, and even if we change some of the factors ranges, we still would arrive to a similar optimal appraised range of values. High sensitivity must be avoided since it potentially increases model inaccuracy. It is clear, that if the property value estimate has high dependency on a specific factor based on questionable data, the overall accuracy may be affected. After it has been established that the obtained results are no longer sensitive, the system proceeds to obtain final maximum and minimum optimal results for the given property.

“Multi Solution”: When optimal solution has been reached automatically, the system searches further for possible additional optimal solutions (“multiple solutions”). In multiple solutions the objective function and factors ranges unchanged and only optimal values of variables vary. It is assumed that single solution indicates that the factor ranges may be too restrictive and therefore the optimal solution is reached but is not flexible enough.

Reconciliation: The appraiser is free to choose any number of approaches for his estimate and commonly will prefer a particular approach to others due to more accurate data or specific property characteristics. However, sometimes the highest maximum and minimum values obtained are relatively far from median range i.e. most likely value

ranges. Obviously, a simple average of all indicated values, used in the traditional reconciliation methods will not necessarily give a "true" property value.

In this invention, a range of optimal values in all approaches has been reached automatically. If the single-point valuation is still required, it is up to the appraiser to decide if he would choose the maximum, minimum or average value for the final property value. Usually, the decision depends on reliability of data used and it is done automatically according to appraiser-defined rules.

Highest and Best Use: The invention helps to determine financial feasibility criteria in highest and best use analysis separately for each use or for all uses.

No Solution: In the event, that no solution is found, the system will require more data to satisfy the constraints or to modify existing constraints. In this case, an optimization algorithm may terminate without producing minimum or maximum value because of convergence problems resulting from nonlinear nature of the objective function. In such cases, it may also be helpful to try to start again with different initial values or other value adjustments.

Global Optimum: A number of software packages available today are capable of solving such problems such as MS Excel Solver, LINGO and other optimization software. In general, algorithms found in commercial software packages are capable of searching only for a local minimum or maximum which may or may not constitute the global optimum solution, therefore there is a need to assure that the global optimum solution has been reached by using optimization software that finds the global optimum solution, such as LINGO.

A Method and System for Optimized Automatical Real Estate Appraisal

ABSTRACT

The invention is a method and a system for obtaining optimal range of values for real estate property by using all or some of the admissible appraisal approaches through optimization algorithm. The invention evaluates the reliability of factor ranges specific to each appraisal approach and eliminates discrepant ranges. Using this invention it is possible to obtain an accurate property valuation through a number of admissible appraisal approaches. Valuation, Feasibility Study, Sensitivity Analysis, value reconciliation and highest and best use are obtained optimally and automatically. The invention optimizes capitalization rate and period in the relevant approaches.

Inventor: David Myr (Jerusalem).

Assignee: Makor Issues & Rights Ltd (Jerusalem).

REFERENCES CITED

U.S. Patent Documents

US Patent 5,857,174
US Patent 5,414,621
US Patent 6,058,369
US Patent 6,115,694
US Patent 6,178,406 B1
U.S. APP. A1 20020002494
U.S. APP. A1 20010039506
U.S. APP. A1 20020147695

Other References

Uniform Standards of Professional Appraisal Practice (USPAP) 2003 Edition

The Appraisal of Real Estate, Appraisal Institute

Valuation Under the Law of Eminent Domain, Lewis Orgel, 1953

Real Estate Valuation in Litigation, J.D. Eaton, Appraisal Institute, 1995

More, Jorge J. and Stephen J. Wright, Optimization Software Guide, Philadelphia: SIAM, 1993